



# MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals



## MCON SUPER HACK

**SPECIALITY POLYMER LATEX  
THAT ELIMINATES NEED FOR  
HACKING**

### **Product Description :-**

MCON Super Hack is a unique single component liquid bonding agent for plaster that strengthens the bond between the plaster and concrete.

MCON Super HACK is an efficient and cost-effective product.

This product is a customized solution that completely eliminates the need to hack concrete surfaces that will receive plaster.





# MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals

## Areas of Application :-

- ✓ All Concrete Surface Required To Be Plastered.
- ✓ Old Plastered Surfaces For Re-Plastering.

## Features & Benefits :-

- ✓ Eliminates need for Hacking. Thus saves on effort and labour cost.
- ✓ Avoids damage to structure, as it is chloride free.
- ✓ Suitable for interior and exterior application.
- ✓ Provides excellent bonding between plaster (mortar / gypsum) and concrete.
- ✓ Economical in use.

## Technical Specification :-

Appearance :	Milky White Liquid
Specific Gravity :	1.00 ± 0.005
Coverage :	80 - 90 Sq.ft per Kg for Single Coat

## Precautions & Limitations :-

- ✓ MCON SUPER HACK must be applied as neat coat.
- ✓ Never mix it with cement or add water.
- ✓ Gypsum /Plaster should be placed on tacky condition. If it dries, apply second coat to reach the tacky state.



# MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals

## Method of Application :-

**SURFACE PREPARATION :-** Concrete surface for treatments must be thoroughly cleaned of all laitance, loose materials, oils, grease etc.

## APPLICATION OF MORTAR PLASTER :-

Moisten the surface with clean water and remove excess surface water. Apply single coat of MCON SUPER HACK by brush / roller or spray on pretreated surface. When the bond coat becomes tacky, apply the chat coat (dash coat) of plaster. Allow the chat coat (dash coat) to dry for 24 hours and then apply the plaster to finish work.

## APPLICATION OF GYPSUM PLASTER :-

Moisten the surface with clean water and remove excess surface water. Apply single coat of MCON SUPER HACK by brush / roller or spray on pretreated surface. When the bond coat becomes tacky, apply the gypsum plaster with trowel to desire thickness.

**Coverage :-** 1 kg MCON SUPER HACK covers 80 - 90 sq.ft.

**Packing :-** 1, 5 & 20 Kg.

**Shelf Life :-** 12 Months.

## Health & Safety :-

Recommended use of hand gloves, goggles & masks. In case of eye or skin contamination, wash well with soap & cold water. Seek medical advice as necessary.

*\*(Mcon Rasayan has maintained the highest level of Quality and Consistency by following Systems and is certified as An ISO 9001 : 2015, An ISO 14001 : 2015 & AN BS OHSAS 45001 : 2018 Company.)*

Address : Gala No.6, Bardanwala Estate, Bandivali Hill Road, Jogeswari (W), Mumbai - 400102

Email id : salesmcon16@gmail.com

Website : www.mconrasayan.com

Follow us on :    